CONTENTS OF VOLUME 390

September 1987

ISRAEL J.M., KIRK C. & VINCENT J.D. Electrophysiological responses to dopamine of rat hypophysial cells in lactotroph-enriched primary cultures. 1

EDWARDS A.V. & JONES C.T. The effect of splanchnic nerve section on the sensitivity of the adrenal cortex to adrenocorticotrophin in the calf. 23

SILINSKY E.M. & VOGEL S.M. Independent control of channel closure and block of open channels by methylxanthines at acetylcholine receptors in frog. 33

ARNOLD Jeff & RICHARD Denis Exercise during intermittent cold exposure prevents acclimation to cold in rats. 45

CAZALIS Monique, DAYANITHI Govindan & NORDMANN Jean J. Hormone release from isolated nerve endings of the rat neurohypophysis. 55

CAZALIS Monique, DAYANITHI Govindan & NORDMANN Jean J. Requirements for hormone release from permeabilized nerve endings isolated from the rat neurohypophysis. 71

KAILA K. & VAUGHAN-JONES R.D. Influence of sodium–hydrogen exchange on intracellular pH, sodium and tension in sheep cardiac Purkinje fibres. 93

ALLEN Julie D. & MOSS Richard L. Factors influencing the ascending limb of the sarcomere length–tension relationship in rabbit skinned muscle fibres. 119

MORIMOTO Akio, MURAKAMI Naotoshi, NAKAMORI Tomoki & WATANABE Tatsuo Fever induced in rabbits by intraventricular injection of rabbit and human serum albumin. 137

BAYLOR D.A., NUNN B.J. & SCHNAPF J.L. Spectral sensitivity of cones of the monkey *Macaca fascicularis*. 145

COPE T.C., FETZ E.E. & MATSUMURA M. Cross-correlation assessment of synaptic strength of single Ia fibre connections with triceps surae motoneurones in cats. 161

DUDEL J. & PARNAS I. Augmented synaptic release by one excitatory axon in regions in which a synergistic axon was removed in lobster muscle. 189

BOWLING D.B. & WIENIAWA-NARKIEWICZ E. Differences in the amplitude of X-cell responses as a function of depth in layer A of lateral geniculate nucleus in cat. 201

CSERNOCH L., KOVÁCS L. & SZÜCS G. Perchlorate and the relationship between charge movement and contractile activation in frog skeletal muscle fibres. 213

MATSUKAWA Kanji & NINOMIYA Ishio Changes in renal sympathetic nerve activity, heart rate and arterial blood pressure associated with eating in cats. 229

CRUNELLI Vincenzo, LERESCHE Nathalie & PARNAVELAS John G. Membrane properties of morphologically identified X and Y cells in the lateral geniculate nucleus of the cat *in vitro*. 243

LANG B., NEWSOM-DAVIS J., PEERS C., PRIOR C. & W.-WRAY D. The effect of myasthenic syndrome antibody on presynaptic calcium channels in the mouse. 257

ROMANÒ C. & SCHIEPPATI M. Reflex excitability of human soleus motoneurones during voluntary shortening or lengthening contractions. 271

LÄNNERGREN J. & WESTERBLAD H. The temperature dependence of isometric contractions of single, intact fibres dissected from a mouse foot muscle. 285

CARLIN J.I., OLSON JR E.B., PETERS H.A. & REDDAN W.G. The effects of post-exercise glucose and alanine ingestion on plasma carnitine and ketosis in humans. 295

BROOKES S.J.H., EWART W.R. & WINGATE D.L. Intracellular recordings from myenteric neurones in the human colon. 305

HESTRIN Shaul The properties and function of inward rectification in rod photoreceptors of the tiger salamanader. 319

MIHARA S., NORTH R.A. & SURPRENANT Annmarie Somatostatin increases an inwardly rectifying potassium conductance in guinea-pig submucous plexus neurones. 335

MIHARA S., NISHI S., NORTH R.A. & SURPRENANT Annmarie A non-adrenergic, non-cholinergic slow inhibitory post-synaptic potential in neurones of the guinea-pig submucous plexus. 357

LÜDI H. & SCHATZMANN H.J. Some properties of a system for sodium-dependent outward movement of magnesium from metabolizing human red blood cells. 367

RANATUNGA K.W., SHARPE Barbara & TURNBULL B. Contractions of a human skeletal muscle at different temperatures. 383

LANSMAN J.B. Calcium current and calcium-activated inward current in the oocyte of the starfish *Leptasterias hexactis*. 397

DUFFIN J. & LIPSKI J. Monosynaptic excitation of thoracic motoneurones by inspiratory neurones of the nucleus tractus solitarius in the cat. 415

MEECH R.W. & THOMAS R.C. Voltage-dependent intracellular pH in *Helix aspersa* neurones. 433

HANSFORD Richard G. & LAKATTA Edward G. Ryanodine releases calcium from sarcoplasmic reticulum in calcium-tolerant rat cardiac myocytes. 453

KOIKE Hiroyuki The extensibility of *Aplysia* nerve and the determination of true axon length. 469

KOIKE Hiroyuki The disturbance of the fast axonal transport of protein by passive stretching of an axon in *Aplysia*. 489

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

27–28 *March* 1987

UCL Meeting

DEMONSTRATIONS

Forsling Mary L. & Wells T. A system for serial blood sampling in conscious rats. 2*P*

Aldridge R., Cady E.B. & Newham D.J. Apparatus for recording ^{31}P n.m.r. spectra and force from a functionally and anatomically discrete human muscle. 3*P*

Cope M., Delpy D.T., Reynolds E.O.R., Wray Susan & Wyatt J.S. Portable apparatus for obtaining direct *in vivo* monitoring of cerebral oxygenation in the human neonate using near infrared spectroscopy. 4*P*

Jones D.A., Rutherford O.M. & Whiteson J. A technique for the simultaneous measurement of contractile properties of the human adductor pollicis and first dorsal interosseus. 5*P*

Dornhorst A.C. Valvular behaviour of the human gastro-oesophageal junction. 6*P*

Beastall G.P., Curzon G. & Hutson P.H. A power-assisted liquid swivel for use with intracerebral dialysis in the freely moving rat. 7*P*

Baker M. & Bostock H. An air-gap suction electrode, the 'bubble electrode'. 8*P*

Gardner-Medwin A.R. & Holder D.S. Intracranial and extracranial measurement of changes in cerebral impedance in the anaesthetized rat. 9*P*

Davey N.J., Ellaway P.H. & Friedland C.L. Quantitative assessment of the degree of synchrony between the discharges of neurones. 10*P*

Lagnado L. & McNaughton P.A. Light responses and Na:Ca exchange in isolated salamander rod outer segments. 11*P*

Boyd I.A. The muscle spindle – Part II (16 mm sound colour film, 30 minutes). 12*P*

Edwards R.H.T., Hutcheon R., Jones G., Martin P. & Stokes M. Human physiological measuring systems using fibre optics: demonstration of a strain gauge for measuring muscle force in a magnetic resonance system. 13*P*

Owen D.G. & Piotrowski W. Electropermeabilization of single cells under patch clamp. 14*P*

COMMUNICATIONS

Johns Edward J. The influence of angiotensin II on renal sympathetic nerve-mediated antinatriuresis and antidiuresis in the rat kidney. 15*P*

Hammond P. & Shorrocks I.M.E. Areal influences of textured fields on striate cortical neurones in the cat. 16*P*

Laursen A. Mosfeldt & Rekling J.C. Hypoglossal motoneurones in slices from guinea-pigs have both depolarizing and hyperpolarizing responses to glycine. 17*P*

Andersen P., Greengard P., Hu G.-Y., Hvalby Ø. & Walaas S.I. Injection of protein kinase C in rat hippocampal pyramidal cells *in vitro* induces plastic changes similar to long-term potentiation. 18*P*

Bashir Z.I. & Holmes O. *N*-methyl-D-aspartate receptors and the enhancement of somatosensory evoked potentials in penicillin epileptogenesis in rats. 19*P*

Lemon R.N. & Mantel G.W.H. Facilitation of single thenar motor units by single corticospinal neurones in the conscious monkey. 20*P*

Hess Robert & Watt Roger Human amblyopia: cortical neurones are misplaced not lost. 21*P*

Hill D.R., Shaw T.M. & Woodruff G.N. Autoradiographic localization of 'peripheral' type CCK binding sites in rat brain. 22*P*

Fry J.P., Johnston G.A.R., Martin I.L., Phelan P.P. & Rickets C. Strychnine-like immunoreactivity in glutaraldehyde-fixed sections of mouse central nervous system. 23*P*

Amassian, V.E., Cadwell J., Cracco R.Q. & Maccabee P. Focal cerebral and peripheral nerve stimulation in man with the magnetic coil. 24*P*

Kemppainen P. & Pertovaara A. Experimental stress and the modulation of dental pain thresholds in man. 25*P*

Jeffreys D.A. & Musselwhite M.J. A face-responsive visual evoked potential in man. 26*P*

Aicardi G., Battaglini P.P. & Galletti C. The angle of gaze influences the responses to visual stimulation of cells in the V3-complex of macaque monkey visual cortex. 27*P*

Gulyás B., Orban G.A. & Spileers W. A moving noise background modulates responses of striate neurones to moving bars in the cat but not in the monkey. 28*P*

Wehrhahn C. Induced colours in normal and dichoptic stimulation in man. 29*P*

Shipp S. & Zeki S. Anatomical demonstration of the repetitive representation of the vertical meridian in area V6 of macaque monkey visual cortex. 30*P*

Edelman G.M., Finkel L.H. & Pearson J.C. Computer simulation of somatotopic map plasticity. 31*P*

Jones H.E. & Sillito A.M. The length tuning of cells in the feline dorsal lateral geniculate nucleus (dLGN). 32*P*

Crunelli V., Haby M., Jassik-Gerschenfeld Dora & Leresche Nathalie Two types of i.p.s.p.s recorded in projection cells of the rat lateral geniculate nucleus *in vitro*. 33*P*

Jänig W., Schmidt M., Schnitzler A. & Wesselmann Ursula. Functional types of sympathetic post-ganglionic neurones projecting into the hypogastric nerves of the cat. 34*P*

Murphy P.C. & Sillito A.M. The source of the input generating binocular excitation in the A laminae of the feline dorsal lateral geniculate nucleus (dLGN). 35*P*

Girdlestone Debbie, Thomson Alex M. & West David C. Post-synaptic potentials demonstrated by spike-triggered averaging in isolated slices of rat neocortex. 36*P*

Gilliatt R.W. & Kennett R.P. Experimental non-freezing cold injury in the tibial nerve of the rabbit. 37*P*

Baumann K.I., Hamann W. & Yung W.H. Lithium and the excitability of slowly adapting type I (s.a.I) cutaneous mechanoreceptors of the rat. 38*P*

King A.E., Thompson S.W.N., Urban L. & Woolf C.J. Response properties of neurones recorded from the deep dorsal horn of 14 to 16 day old rats *in vitro*. 39*P*

Rees H. & Roberts M.H.T. The effects of spinal dorsal column stimulation on cells of the anterior pretectal nucleus in the rat. 40*P*

Alford Simon & Williams Thelma L. Evidence that glycine mediates left-right alternation in lamprey locomotion. 41*P*

Clarke R.W., Ford T.W. & Taylor J.S. Tonic descending suppression of a spinal reflex in the rabbit is blocked by an α-adrenoceptor antagonist. 42*P*

Harrison P.J. & Jankowska E. Origin of primary afferent depolarization of group II muscle afferent fibres in the cat spinal cord. 43*P*

Connell L.A. & Wallis D.I. Effects of 5-hydroxytryptamine (5-HT) in the isolated, hemisected spinal cord of the neonate rate. 44*P*

Krnjević K. & Leblond J. Ca currents of rat hippocampal neurones in isolated slices are depressed by anoxia. 45*P*

Chesler M. & Walton K. Evoked and spontaneous $[K^+]_o$ transients are large in neonatal rat lumbar spinal cord: an *in vitro* study. 46*P*

Hodson Stuart & Wigham Christopher A source of error in measuring membrane potentials in small cells from the ox corneal epithelium. 47*P*

Johnson I.P. Synaptic loss from axotomised α- and γ-motoneurones in the cat thoracic spinal cord. 48*P*

Schmidt P.F., Schomburg E.D., Steffens H., Strohmeyer A. & Wada N. A nociceptive non-FRA pathway to plantaris motoneurones in the cat. 49*P*

McMahon Stephen B. & Wall Patrick D. Inappropriate reinnervation of peripheral tissue changes the ability of afferents to modulate the flexion reflex in the adult rat. 50*P*

Lovick T.A. Changes in motoneuronal excitability accompany analgesia evoked from the ventrolateral medulla in the rat. 51*P*

Salt T.E. Physiologically evoked sensory input mediated by non-NMDA excitatory amino-acid receptors in the rat ventrobasal thalamus (VB). 52*P*

Henderson G. & Rogers H. Opioid depression of synaptic transmission in the mouse hypogastric ganglion *in vitro*. 53*P*

Isenberg Gerrit & Wendt-Gallitelli Maria Fiora X-ray microprobe analysis of the elemental distribution applied to isolated guinea-pig ventricular myocytes shock-frozen under voltage clamp conditions. 54*P*

Bielen Frieda V., Bosteels Suzanne & Verdonck F. Effect of intracellular pH on sodium transport in rabbit cardiac Purkinje fibres. 55*P*

Aalkjær C. & Mulvany M.J. Amiloride-sensitive Na, H-exchange in rat isolated small arteries. 56*P*

Eisner D.A., Elliott A.C. & Smith G.L. Why does ischaemia decrease developed pressure in isolated ferret hearts? 57*P*

Bountra C., Powell T. & Vaughan-Jones R.D. Comparison of micro-electrode measurement of intracellular pH in cardiac ventricular tissue and isolated ventricular cells of guinea-pig. 58*P*

Kentish J.C. The inhibitory actions of acidosis and inorganic phosphate on the Ca^{2+}-regulated force production of rat cardiac myofibrils. 59*P*

Brown H.F., Campbell D.L., Clark R.B. & Denyer J.C. Isolated sino-atrial node cells of rabbit: long, thin cells which are calcium-tolerant. 60*P*

Bhojani Issak H. & Chapman R.A. The relationship between intracellular sodium activity (a^i_{Na}) and extracellular sodium activity (a^o_{Na}) in isolated ferret ventricular muscle, in the presence and absence of divalent cations. 61*P*

Boyett Mark R. & Levi Allan J. Undershoots of intracellular sodium activity (a^i_{Na}) when isolated voltage-clamped quiescient sheep Purkinje fibres recover from sodium loading. 62*P*

Berlin J.R., Cannell M.B. & Lederer W.J. Subcellular inhomogeneity of intracellular calcium in calcium overloaded single rat cardiac cells. 63*P*

Allen I.S., Cohen N.M., Dhallan R.S. & Rogers T.B. Angiotensin II increases the calcium current in neonatal rat single cardiac myocytes. 64*P*

Fischmeister R. & Gisbert Marie-Pierre Effects of atrial natriuretic factor on calcium current in single cells of frog heart. 65*P*

Alvarez J.L., Mongo K.G. & Vassort G. Effects of α_1-adrenergic stimulation on the Ca current in single ventricular frog cells. 66*P*

Allen I.S., Cohen N.M., Dhallan R.S., Dosemeci A., Lederer W.J. & Rogers T.B. Phorbol esters increase the rate of spontaneous beating in cultured neonatal rat cardiac myocytes. 67*P*

Giles W.R. & Imaizumi Y. Quinidine-induced inhibition of a transient outward current in rabbit heart. 68*P*

Elzinga T. & Mast F. Time course of recovery heat production in isolated rabbit papillary muscle. 69*P*

Brown P.D., Loo D.D.F. & Wright E.M. Identification of Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus. 70*P*

Klærke Dan A. Characterization and reconstitution of Ca^{2+}-activated K^+ channel from outer renal medulla in the pig. 71*P*

Ashcroft F.M. & Kakei M. Effects of internal Mg^{2+} on ATP-sensitive K-channels in isolated rat pancreatic B-cells. 72*P*

Dunne M.J. & Petersen O.H. Phorbol ester and cell-permeable diacylglycerol evoke closure of ATP-sensitive K^+ channels in a cultured insulin-secreting cell-line. 73*P*

Lindsay R.M. & Rang H.P. Effects of bradykinin on the membrane currents of rat sensory neurones in tissue culture. 74*P*

Cull-Candy S.G., Howe J.R. & Ogden D.C. Ion channels activated by excitatory amino acids in rat cultured cerebellar granule neurones. 75*P*

Bookman Richard J. & Dagan Daniel Single K^+ channel activity recorded from leech neurones in culture. 76*P*

Ashcroft F.M. & Kapoor R. Cell-attached patch recordings from single cells isolated from guinea-pig substantia nigra. 77*P*

Pröbstle T., Rüdel R. & Ruppersberg J.P. Hodgkin-Huxley parameters TTX-sensitive and TTX-insensitive sodium channels in human myoballs. 78*P*

Nilius B. Block by Ca of single cardiac Na channels from the guinea-pig heart. 79*P*

Chen Chinfei & Hess Peter A complex new gating pattern detected in L-type calcium channels from guinea-pig ventricular myocytes and mouse 3T3 fibroblasts. 80*P*

Docherty R.J. & McFadzean I. Noradrenaline decreases voltage-dependent calcium current in neuroblastoma × glioma hybrid (NG108 15) cells. 81*P*

Cavalié A., Flockerzi V., Hofmann F., Pelzer D. & Trautwein W. Two types of calcium channels from rabbit fast skeletal muscle transverse tubules in lipid bilayers: differences in conductance, gating behaviour and chemical modulation. 82*P*

Beech D.J., Bolton T.B. & Hering S. The mechanism of modulation of Ba^{2+} currents by D600, nifedipine or BAY K 8644 in single smooth-muscle cells of rabbit ear artery studied using a new concentration-jump technique. 83*P*

Lipscombe D. & Tsien R.W. Noradrenaline inhibits N-type Ca channels in isolated frog sympathetic neurones. 84*P*

Benham C.D. & Tsien R.W. Noradrenaline increases L-type calcium current in isolated smooth-muscle cells of rabbit ear artery independently of α- and β-adrenoreceptors. 85*P*

Plant T.D. Calcium current inactivation in cultured mouse pancreatic islet cells is calcium-dependent. 86*P*

Dolphin A.C., McGuirk S. & Scott R.H. Barium-activated tail currents in cultured rat dorsal root ganglion neurones are modified by GTP-γ-S and BAY K 8644. 87*P*

Beech D.J. & Bolton T.B. The effects of tetraethylammonium ions, 4-aminopyridine, quinidine or quinine on K^+-currents in single smooth-muscle cells from the rabbit portal vein. 88*P*

Dolphin A.C., Scott R.H., Trentham D.R. & Wootton J.F. Photoactivation of a GTP analogue differentially inhibits the transient component of the calcium channel current in rat sensory neurones. 89*P*

Eddy F.B., Miles M.S., Primmett D.R.N., Talbot C. & Thorpe J.E. Transepithelial Na^+ exchange in salmon: seasonal seaward migration may be caused by osmoregulatory stress. 90*P*

Bradbury M.W., Deane R. & Park S. ^{203}Pb uptake into different regions of rat brain, perfused *in situ*. 91*P*

Gardiner R.M., Ives N.K. & Joshi M. Permeability of the blood–brain barrier to free bilirubin studied in the rat using an *in situ* brain perfusion technique. 92*P*

Debnam E.S. & Mazzanti R. Differential changes in glucose and galactose absorption across the rat jejunum *in vivo* following both acute and chronic exposure to ethanol. 93*P*

Brownlee A.A., Lee G. & Mills I.H. Marked inhibition of canine renal Na/K ATPase by a bufodienolide but weak natriuretic activity in the rat. 94*P*

Harbak H. & Simonsen L.O. Residual Ca pump activity in vanadate-inhibited and in ATP-depleted human red cells. 95*P*

Cramb G., Lamb J.F., Kinghorn J., Unkles S. & Voy C. High internal sodium on sodium pump density and mRNA for the alpha subunit of the sodium pump in human cultured cells. 96*P*

Leppäluoto J., Vakkuri O., Arjamaa O. & Ruskoaho H. Rat hypothalamic Na,K-ATPase inhibitory activity is heterogenous and mostly of small-molecular-weight size. 97*P*

Goldschleger R., Karlish S.J.D. & Shahak Y. Electrogenic and electroneutral transport modes of the mammalian renal Na/K pump. 98*P*

Giraldez F. & Sepúlveda F.V. High apical membrane Cl^- permeability in isolated *Necturus* small intestine. 99*P*

Dormer R.L., Mann G.E. & Norman P.S.R. Comparison of calcium efflux from isolated rat pancreatic acini and perfused pancreas: effects of carbachol. 100*P*

Boyd C.A.R. & Shennan D.B. Pathways for chloride transport into human placental microvillus membrane vesicles. 101*P*

Shennan D.B. Selenate transport by human placental microvillus membrane vesicles. 102*P*

Shukla Hasmeeta & Wright G.H. Membrane potentials of isolated cells from transport epithelia analysed using an extended Boyle-Conway theory: human nasal epithelia. 103*P*

Georgiou P., House C.R., McNiven A.I. & Yoshida S. A reversible membrane hyperpolarization induced in hamster eggs by high external pH. 104*P*

Bayati A., Källskog Ö., Öjteg G. & Wolgast M. Permeability of postglomerular capillaries in the rat kidney after ischaemia. 105*P*

Hjemdahl P. & Tidgren B. Differential reflex activation of noradrenaline and dopamine overflow from the human kidney. 106*P*

Malmgren Anna Micturition pattern and spontaneous activity in the urinary bladder during the micturition cycle in rats with infravesical outflow obstruction. 107*P*

Bugge J.F., Dahl E., Kiil F. & Vikse A. Renal degradation and distribution between urinary and venous output of prostaglandins E_2 and I_2 in the dog. 108*P*

Hjemdahl P., Larsson P.T. & Olsson G. Increased platelet aggregability in humans during mental stress and adrenaline infusions as determined by *in vivo* filtragometry. 109*P*

Berg T., Carretero O.A. & Stewart J. The effect of bradykinin antagonist in rat submandibular gland blood flow regulation. 110*P*

Bharali Louisa A.M. & Lisney S.J.W. Plasma extravasation after localized skin heating in the rat. 111*P*

Fernandes A., Galbo H., Kjær M., Mitchell J.H., Secher N.H. & Thomas S. Epidural anaesthesia and cardiovascular responses to dynamic exercise in man. 112*P*

Bruens M.G.J., de Beer E.L., Schiereck P., Stokhof A.A., van der Ven I.E., van Hessen M.W.J. & Wesenhage H. The influence of rapid changes in diastolic filling on the contractility of the left ventricle in the conscious dog. 113*P*

de Burgh Daly M., Kirkman E. & Wood L.M. Modifications by changes in respiration of the cardiac and hind-limb vascular responses to stimulation of cardiac receptors in the cat. 114*P*

Ellingsen Ø., Ilebekk A., Lande K. & Vengen Ø.A. Different haemodynamic responses to inotropic stimulation of the right and the left side of the pig heart. 115*P*

Eide I., Ellingsen Ø., Ilebekk A., Kjeldsen S.E. & Vengen Ø.A. Myocardial potassium uptake and cardiac catecholamine release during sympathetic nerve stimulation in the pig. 116*P*

Hartiala J., Hietanen E. & Korkeila P. The sensitivity of thallium exercise scintigraphy in coronary artery disease in man. 117*P*

Iversen P.O., Mørkrid L., Nicolaysen G. & Standa M. Regional heterogeneity of blood flow in resting skeletal muscle in the rabbit. 118*P*

Nilsson S.F.E. Effects of NPY on ocular blood flow and local blood flow in some other tissues in the rabbit. 119*P*

Härmä M., Kolari P., Laitinen L., Lindqvist A. & Smolander J. Circadian variation in rectal temperature, oxygen consumption and peripheral blood flow in man. 120*P*

Waaler B.A., Walløe L. & Wesche Jarlis Cardiac output as related to muscle blood flow during and following rhythmic exercise in humans. 121*P*

Hassan A.A.K. & Tooke J.E. Reactive hyperaemia during postural vasoconstriction in man. 122*P*

Ludbrook J. & Rutter P.C. Effect of prior treatment with naloxone on cardiovascular responses to acute haemorrhage in the conscious rabbit. 123*P*

Clarkson P.M. & Newham D.J. Muscle pain and enzyme release after repeated maximal eccentric exercise of human elbow flexors. 124*P*

Andersen Vibeke Raa, Astrup A., Hede Kirsten & Nygaard Else Energy metabolism in female human subjects – the influence of a fat-rich diet. 125*P*

Bangsbo J., Galbo H., Kjær M. & Lortie G. Role of hypoxia per se on hormonal responses to dynamic exercise at simulated high altitude in trained and untrained man. 126*P*

Brooks S., Brown G.M., Hardman A.E. & Williams C. Influence of one week of single-leg training on physiological responses to exercise in man. 127*P*

Boobis L.H., Brooks S., Cheetham M.E. & Williams C. Effect of sprint training on muscle metabolism during high-intensity treadmill running in man. 128*P*

Radda G.K. & Yonge R.P. Fasting and metabolic control in human skeletal muscle during low-level exercise. 129*P*

Davies J., Jones D.A., Parker D.F. & Potter A. Sex differences in the strength of the human elbow flexor muscles. 130*P*

Jones D.A., Oldham J.A. & Rutherford O.M. A comparison of two patterns of chronic stimulation on the contractile properties and fatigue characteristics of human hand muscles. 131*P*

Dubowitz V., Hyde Sylvia A., Scott Oona M. & Vrbova Gerta Effect of chronic high-frequency stimulation on muscles of children with Duchenne Muscular Dystrophy. 132*P*

Cooper R.G., Edwards R.H.T. & Stokes M. Human muscle fatigue: reversed changes in myotonic dystrophy. 133*P*

Medbø Jon Ingulf Is the blood-lactate concentration an accurate measure of anaerobic metabolism during exercise in man? 134*P*

Berger W., Dietz V. & Horstmann G. Interlimb coordination of posture in man. 135*P*

Oddsson L. & Thorstensson A. Coordinative movements of the pelvis and trunk are controlled by task-specific motor programmes in man. 136*P*

Gerstenberg T., Levin R.J. & Wagner G. Correlation of expelled semen volume with the electromyographic activity of the bulbocavernosus and ischiocavernosus muscles during ejaculation in man. 137*P*

Boyd I.A., Gladden M.H. & Ward J. The mechanical behaviour of the dynamic bag_1 fibre in isolated cat muscle spindles during rapid stretch. 138*P*

Crossley I., Swann K. & Whitaker M. Activation of sea-urchin eggs by inositol (1,4,5)-trisphosphate is independent of external calcium ions. 139*P*

Swann K. & Whitaker M. Neomycin prevents the fusion of sperm with sea-urchin eggs but not the early electrical events of fertilization. 140*P*

Merritt Janet E. Agonist effects on cytosolic free $[Ca^{2+}]$ and inositol phosphates in fura2-loaded rat parotid acinar cells. 141*P*

Pollock W.K., Rink T.J. & Sage S.O. ^{45}Ca extrusion from fura2-loaded human platelets: no evidence for Na:Ca exchange. 142*P*

Mekhfi H., Oliviero P., Swynghedauw B. & Ventura-Clapier R. Mechanical properties of skinned fibres from hypertrophied rat and guinea-pig hearts. 143*P*

Ashley C.C., Barsotti R.J., Ferenczi M.A., Lea T.J., Mulligan I.P. & Tsien R.Y. Caged-calcium photolysis activates demembranated muscle fibres from the rabbit. 144*P*

Lännergren J. & Westerblad H. Changes in intracellular pH after fatiguing stimulation of single *Xenopus* muscle fibres. 145*P*

Caljouw C.J., Crowe A., de Beer E.L., Grundeman R.L.F., Schiereck P., van den Berg C. & van Hessen M.W.J. Length–tension relations of Ba^{2+}- and Ca^{2+}-induced contractions of freeze-dried skinned single skeletal muscle fibres of the rabbit. 146*P*

Eggington S. & Hudlická O. Development of fatigue and relative fibre glycogen content in rat skeletal muscle. 147*P*

Colomo F., Lombardi V. & Piazzesi G. Stiffness during tension recovery after a step stretch applied to tetanized frog muscle fibres during steady lengthening. 148*P*

Bagni M.A., Cecchi G. & Colomo F. Stiffness during the tension redevelopment after shortening at zero load in tetanized frog muscle fibres. 149*P*

Csernoch L., Feldmeyer D. & Kovács L. The effect of the guanidinium ion upon excitation-contraction coupling in isolated skeletal muscle fibres of the frog. 150*P*

Melzer W. & Pohl Barbara Effects of D600 on the voltage sensor for Ca release in skeletal muscle fibres of the frog. 151*P*

Blanchard E.M., Godt R.E. & Solaro R.J. Differential effects of acidosis on calcium-activated force and ATPase of fast- and slow-twitch skeletal muscles of the rabbit. 152*P*

Curtin N.A. & Edman K.A.P. Force and segment movements during relaxation of frog muscle fibres; effects of fatigue and intracellular acidification. 153*P*

Grindrod S., Round J.M. & Rutherford O.M. Type 2 fibre composition and force per cross-sectional area in the human quadriceps. 154*P*

Blom P.C.S. Post-exercise glucose metabolism in human muscle during intravenous and oral glucose intake. 155*P*

Cooper R.G., Edwards R.H.T., Gibson H. & Stokes M. Human muscle fatigue: effects of ischaemia, perfusion and B-adrenergic blockade. 156*P*

Kiens Bente, Richter Erik A., Saltin Bengt & Savard Gabrielle Regulation of skeletal muscle glucose uptake during dynamic exercise in man; role of muscle mass. 157*P*

Sejersted O.M. & Vøllestad Nina K. Metabolic regulation in human muscle during submaximal contractions. 158*P*

Cervetto L., Menini A., Rispoli G. & Torre V. Inhibition of the light-sensitive current in isolated salamander rods by L-*cis*-diltiazem. 159*P*

Cervetto L., Menini A., Rispoli G. & Torre V. The effect of divalent cations on the light-sensitive current of isolated salamander rods. 160*P*

Falk G. & Shiells R.A. Effect of G-protein inactivation of salamander rods. 161*P*

Lagnado L. & McNaughton P.A. Voltage dependence of Na:Ca exchange in isolated salamander rod outer segments. 162*P*

Lagnado L. & McNaughton P.A. Inhibition of Na:Ca exchange in isolated salamander rods by quinidine. 163*P*

Djupsund K., Järvilehto M., Kouvalainen E. & Weckström M. Continuous monitoring of blowfly photoreceptor sensitivity with a stimulation feed-back control system. 164*P*

Djupsund K., Kouvalainen E. & Weckström M. Light-elicited responses of monopolar neurons in the compound eye of the blowfly studied with a current-clamp method. 165*P*

Ekström J., Månsson B., Olgart L. & Tobin G. Parasympathetic nerve-evoked salivary secretion from the ferret submandibular gland in the presence of an antimuscarinic agent. 166*P*

Buanes T., Grotmol T., Landsverk T. & Ræder M.G. Effect of secretin, carbon dioxide and dicyclohexylcarbodiimide (DCCD) on the population of cytoplasmic vesicles in pancreatic duct cells. 167*P*

Galbo H., Nielsen J. Lynge & Vissing J. The effect of liver glycogen content on glucose production in running rats. 168*P*

Grotmol T. & Ræder M.G. Effect of systemic pH- and P_{CO_2}-changes on biliary HCO_3 secretion in the pig. 169*P*

Blackshaw L.A. & Grundy D. The effects of mechanical and chemical stimuli in the ferret stomach on vagal efferent unitary discharge. 170*P*

Asking B., Clarke G., Garrett J.R. & Proctor G.B. Effects of sympathectomy on the protein content of parasympathetic saliva from parotid glands of rats. 171*P*

Asking B., Clarke G. & Proctor G.B. Amylase in rat parotid saliva on prolonged parasympathetic stimulation. 172*P*

Lang B., Newsom-Davies J., Peers C. & W.-Wray D. The action of myasthenic syndrome antibody fragments on transmitter release in the mouse. 173*P*

Cangiano A., Fumagalli G. & Lømo T. Acetylcholine receptors at rat neuromuscular junctions turn over rapidly after nerve block by TTX. 174*P*

Slater C.R. & Walls T.J. Neuromuscular transmission in isolated preparations of human vastus lateralis. 175*P*

Somogyi G.T. & Vizi E.S. Positive and negative feed-back modulation of Ca_e-dependent release of acetylcholine from mouse hemidiaphragm preparation. 176*P*

Booth C.M., Brown M.C. & Kemplay S.K. Reduction of paralysis-induced terminal sprouting in mouse muscles with antibodies to N-CAM. 177*P*

Fosse E., Karlsen H., Mollnes T.E., Pedersen T., Videm V. Tubings for extracorporeal circulation activate human complement *in vitro*. 178*P*

Crisp A.J., Hainsworth R., McGregor K.H. & Tutt S.M. Respiratory responses to left ventricular pressure changes in anaesthetized dogs. 179*P*

Morley J. & Sanjar S. Isoprenaline induces increased airway reactivity in the guinea-pig. 180*P*

Kappagoda C.T., Ravi K. & Teo K.K. Responses of rapidly adapting and slowly adapting pulmonary stretch receptors to lymphatic obstruction and pulmonary congestion in dogs. 181*P*

Sejersted Ole M. & Vaage Odd Components of oxygen debt in man analysed on the basis of its dependence on exercise duration. 182*P*

Marshall Janice & Metcalfe J.D. The influence on the response to systemic hypoxia of the accompanying hypocapnia in the rat. 183*P*

Kirby G.C. & Ponte J. Rabbit carotid chemoreceptors *in vitro*: interactions of dopamine and K^+. 184*P*

Dunne M., Haddock J., Lightman S. & Seckl J. Differential inhibition of vasopressin and oxytocin by opiates in man. 185*P*

Forsling L. Mary & Matziari Chrisoula The vasopressin response to central administration of morphine or dopamine in the conscious rat. 186*P*

Bennett T. & Gardiner S.M. Cardiovascular responses to administration of prazosin and idazoxan in conscious, adrenal demedullated Long Evans rats. 187*P*

Bennett T., Compton A.M. & Gardiner S.M. Differential regional vascular responses to vasopressin (AVP) and neuropeptide Y (NPY) in conscious, Long Evans rats. 188*P*

Michell A.R. & Moss P. Salt appetite during pregnancy in sheep on moderate or low-sodium diets. 189*P*

Feldberg W., Pyke D.A. & Stubbs W.A. Ethyl chloride hyperglycaemia in the cat. 190*P*

Adham Nika & Smith Margaret E. Exposure of α-bungarotoxin binding sites on rat sarcolemma by a substance released by nerve stimulation. 191*P*

Lindsay Ron & Robertson Brian Electrophysiological recording of ion channels in the growth cones of adult rat primary afferent neurones maintained in cell culture. 192*P*

Pullen A.H. Synaptology of identified motoneurones supplying the cat external anal sphincter. 193*P*

Crepel F. & Hamon B. Voltage dependency of inward currents elicited from Purkinje cells by excitatory amino acids in rat cerebellar slices. 194*P*

Audinat E., Crepel F. & Penit-Soria J. Effects of dopamine on prefrontal cortical neurones in the rat: an electrophysiological study *in vitro*. 195*P*

Scholfield C.N. K-currents in unmyelinated afferent axons of guinea-pig olfactory cortex revealed by extracellular polarization. 196*P*

Day B.L., Maertens A., Marsden C.D., Nakashima K., Rothwell J.C. & Thompson P.D. Temporary interruption of brain processing by an electrical or magnetic cortical shock in man. 197*P*

Heavens R.P. & Sirinathsinghji D.J.S. *In vivo* modulation of dopamine release during perfusion of cholecystokinin peptide fragments in the striatum of the rat. 198*P*

Christie M.J., North R.A., Surprenant A. & Williams J.T. μ- and δ-opioid receptors both belong to a family of neurotransmitter receptors which increase an inwardly rectifying potassium conductance. 199*P*

Kulikowski J.J. & Vidyasagar T.R. Linear antagonism and suppression in the visual cortex of rhesus monkey and cat. 200*P*

Anwyl R., Mulkeen D. & Rowan M. Enhancement of long-term potentiation by BAY K 8644 in CA1 of the rat hippocampus *in vitro*. 201*P*

Jesper Brahm Glucose transport kinetics in resealed human red cell ghosts. 202*P*

Hundal H.S. & Rennie M.J. L-Lysine transport in perfused rat skeletal muscle. 203*P*

Peart W.S., Reid P. & Sutters M. Urinary sodium, potassium and water excretion in man after a single dose of 13·8 mmol of lithium carbonate. 204*P*

Crotty T.B., Gebruers E.M. & Hall W.J. A comparison of the diuresis in man to drinking Tyrode and a bowel lavage solution. 205*P*

Bannister R., Frankel H.L., Kooner J.S., Mathias C.J. & Peart W.S. Recumbency induces diuresis in human subjects with autonomic failure and tetraplegia. 206*P*

Dashwood M.R., Mathias C.J., May C.N. & Whitehead C.J. The hypertensive effect of intravenous morphine in conscious rabbits is mimicked by intraventricular but not intracisternal morphine. 207*P*

Haddox M.K., Steiner A.L. & Tipnis U.R. Immunolocalization of ornithine decarboxylase in isoproterenol-stimulated rat atria. 208*P*

Harding S.E., Kirby M.S., Poole-Wilson P.A. & Vescovo G. Comparison of contractile responses to isoprenaline and increased extracellular calcium concentration in isolated rat and rabbit cardiac myocytes. 209*P*

Harding S.E., Poole-Wilson P.A., Vescovo G. & Walker S.M. Desensitization to isoprenaline detected in cardiac myocytes isolated from rats exposed to isoprenaline. 210*P*

Terrar D.A. & Victory J.G.G. Influence of halothane on inward currents and contraction in ventricular myocytes isolated from guinea-pig. 211*P*

Jayakody R.L., Kappagoda C.T., Senaratne M.P.J., Sreeharan N. & Thomson A.B.R. Cholesterol feeding impairs production of endothelium-dependent relaxation factor (EDRF) in rabbit aorta. 212*P*

Bignall S., Rivers R.P.A. & Lissauer T.J. Spectral analysis of aortic blood pressure and cerebral blood flow velocity in premature infants. 213*P*

Altringham J.D. & Bottinelli R. Sarcomere dynamics during stretch of single frog muscle fibres. 214*P*

Cole J.D., Philip H.I. & Sedgwick E.M. The effect of fatigue of finger flexors on the small perturbations in finger movement during an isometric task. 215*P*

Petersen O.H. & Squire L.G. The effect of Mg^{2+} on the Ca^{2+}-activated K^+ channel in mouse parotid acinar cells. 216*P*

Attwell David & Brew Helen Voltage- and sodium-dependence of the glutamate uptake carrier in glial cells isolated from the axolotl retina. 216*P*

Edwards A.V. & Garrett J R. Submaxiliary responses to stimulation of the sympathetic innervation in bursts in cats 216*P*

Atha J., Norgan N.G. Parry-Billings M. The effect of histidine ingestion on anaerobic performance in man. 216*P*

Surprenant Annmarie Somatostatin increases an inwardly rectifying potassium conductance in neurones of the guinea-pig submucous plexus. 216*P*

Andersson P.-O., Malmgren Anna & Uvelius B. Bladder function in rats with streptozotocin-induced diabetes. 216*P*

Dawson M. Joan, McFarlane D.K. & Smith S. The role of $[H_2PO_4^-]$ in contraction and metabolism of skeletal muscle of the frog (*Rana temporaria*). 216*P*

POSTER COMMUNICATIONS

Brown D.A., Furuya K. & Higashida H. K channels in NG108-15 rodent neuroblastoma × glioma cells evoked by intracellular injections of inositol-1,4,5-triphosphate (IP_3). 217*P*

Quayle J.M. Cs^+ produced a flickery block of ATP-sensitive potassium channels of frog skeletal muscle. 218*P*

Spruce A.E., Standen N.B. & Stanfield P.R. The fast block by external tetraethylammonium ions of the delayed rectifier potassium channel of frog skeletal muscle. 219*P*

Spruce A.E., Standen N.B. & Stanfield P.R. Effects of tetraethylammonium ions on ATP-regulated potassium channels of frog skeletal muscle. 220*P*

Makein E., Rennie M.J., Sleeman B.D. & Watt P.W. A method for estimating the kinetic characteristics of glutamine transport in perfused rat skeletal muscle during non-steady-state conditions. 221*P*

Juel C. Number of Na^+-K^+ pumps and capacity for K^+ re-uptake in mouse muscles stimulated *in vitro*. 222*P*

Cherksey B.D., Hoffmann E.K., Jessen F. & Zeuthen T. The K^+ and Cl^- channel protein from Ehrlich ascites tumour cells under reducing and oxidizing conditions. 223*P*

Arheden H., Arner A. & Hellstrand P. Contractile properties of skinned guinea-pig taenia coli smooth muscle at varying ionic strength. 224*P*

Burrows M. Interactions between spiking and non-spiking local interneurones underlie local reflexes of locust legs. 225*P*

Järvilehto M. & Rissanen S. The conduction velocity in the mouse skeletal muscle studied at a range of temperatures and with different developmental ages. 226*P*

Wilkie D.R. & Wray Susan ^{14}Nitrogen nuclear magnetic resonance (n.m.r.) spectroscopy of isolated living *Xenopus* muscle. 227*P*

Edman Å. & Grampp W. A hyperpolarization-activated membrane current in isolated lobster stretch receptor neurones. 228*P*

Hutton Therese, Singh J. & Waring J.J. The development of the hypodynamic state of the isolated spontaneously beating frog heart. 229*P*

Drinkhill M.J., Hicks M.N. & Mary D.A.S.G. Left atrial receptors and plasma cortisol levels in the dog. 230*P*

Horn A.M. & Lightman S.L. Vasopressin-induced phosphatidylinositol turnover in the superior cervical ganglion of the rat is decreased after decentralization. 231*P*

Koskinen L.O.D. Vagal role in vascular effects of TRH in the rat. 232*P*

Hakumäki M., Hartikainen J. & Sikanen A. Direction of the heart-rate response to acute volume loading in dogs. 233*P*

Einarsdóttir Kristín Receptors in three different muscular layers of blood vessels in the umbilical cord of sei whale. 234*P*

Hainsworth R., Vukasovic J.L. & Wahbha M.M.A.E. The effects of oral glucose on cardiovascular responses to upright tilting in humans. 235*P*

Falch J. & Vilhardt H. Effect of vasopressin analogues on plasma concentrations of Factor VIII in man. 236*P*

Luttinen J., Rahkamaa E., Ruotsalaimen R., Tervo J. & Vakkuri O. Cyclization of side chain and 2-hydroxylation: a novel metabolic route of melatonin in humans and rats. 237*P*

Arjamaa O., Leppäluoto J. & Tuominen M. The effects of hypophysectomy on the concentration of atrial peptide (ANP) in the plasma and in the heart atrial tissue of the rat. 238*P*

Ask J.A., Braatveit M., Haugan A. & Helle K.B. Haemodynamic effects of atriopeptin II in anaesthetized rats. 239*P*

Dashwood M.R., Sykes Rachel & Thompson C.S. Autoradiographic localization of [^{125}I] insulin-binding sites in peripheral tissues of the rat. 240*P*

Chatamra K.R. & Daniel P.M. The role of alanine as a source of liver glycogen in fasting rats. 241*P*

Folsom R.E., Guz A. & Innes J.A. Haemodynamic effects of CO_2 inhalation in conscious man measured using pulsed Doppler ultrasound. 242*P*

Knudsen S.E. & Pedersen P.K. Effects of experimentally induced acid-base changes in humans on the physiological responses to exhaustive bicycle exercise at 80% of $\dot{V}_{O_2max}$. 243*P*

Andersen H.T., Myhre K. & Rasch Wenche Respiratory limitation of the aerobic capacity of man exposed to acute hypoxia. 244*P*

Brahm J., Grønlund J., Hlastala M.P., Ohlsson J. & Swenson E.R. Effects of *in vivo* inhibition of red-cell anion exchange and Haldane effect on carbon dioxide output ($\dot{V}_{CO_2}$) in the dog lung. 245*P*

Hjelmqvist H. & Rundgren M. Thirst thresholds in response to intracerebroventricular and intracarotid infusions of hypertonic NaCl in sheep. 246*P*

Hellberg O., Källskog Ö., Wolgast M. & Öjteg G. Influence of neutrophils on post-ischaemic renal failure in the rat. 247*P*

Dahlborn K. & Holtenius K. Intraruminal saline load inhibits feeding-induced activation of the renin-angiotensin-aldosterone system (RAAS) and vasopressin (AVP) secretion in the goat. 248*P*

Hultman E. & Ren J.M. Phosphorylase activity in needle biopsy samples – factors influencing transformation in man. 249*P*

Hargreaves M. Effect of carbohydrate feeding on human muscle substrate use. 250*P*

Gleeson M. & Maughan R.J. The effect of nutritional status on circulating concentrations of amino acids and urea during prolonged strenuous exercise in man. 251*P*

Christensen N.J., Kiens B., Richter E.A., Saltin B., Savard G. & Strange S. Noradrenaline spillover from skeletal muscle during exercise at various work intensities in man. 252*P*

Lilja C. Early post-natal growth of the intestine in the fieldfare (*Turdus pilaris*) and the quail (*Coturnix coturnix Japonica*). 253*P*

Buhl T., Baldisera F., Holst J.J., Kofod H., Nielsen O. Vagn, Orskov C. & Thim L. Glucagon-like peptide 2 (GLP-2) in the porcine and human intestinal mucosa. 254*P*

Brunsson I., Eklund S., Fahrenkrug J., Jodal M., Lundgren O. & Sjöqvist A. Effects of substance P on intestinal secretion, blood flow, motility and release of vasoactive intestinal polypeptide *in vivo* in the rat and cat. 255*P*

Bevan S. & Robertson B. 5-Hydroxytryptamine (5-HT) responses in adult rat dorsal root ganglion (DRG) neurones *in vitro*. 256*P*

Dickenson A.H. & Sullivan A.F. Opioid inhibition of subcutaneous formalin-induced activity of rat dorsal horn neurones depends on time of administration. 257*P*

Davies T.W. Contribution from hand muscle afferents to forearm muscle stretch reflexes in man. 258*P*

Cadden S.W. & Newton J.P. Modulation of voluntary jaw muscle activity by stimulation of the arm in man. 259*P*

Bliss T.V.P., Chávez-Noriega L.E. & Halliwell J.V. Long-term potentiation is associated with an increase in the excitability of pyramidal cells in area CA1 of the rat hippocampal slice. 260*P*

McCarthy P.W., Pitchford S. & Sillar K.T. Visualization of electrophysiologically characterized cells using the dyes ethidium bromide and Lucifer yellow in the frog, rat and crayfish. 261*P*

Baskin K., Hänninen O. & Sihvonen T. A simple function test for studies of back pain in humans. 262*P*

Kay C.D. & Morrison J.D. The effects of prior intramuscular injection of atropine sulphate on the changes in vision caused by physostigmine sulphate eyedrops in human subjects. 263*P*

Andersen P., Blackstad T., Hulleberg G., Trommald M. & Vaaland J.L. Dimensions of dendritic spines of rat dentate granule cells during long term potentiation (LTP). 264*P*

Örberg J. Blood flow to the chicken shell gland – a critical study of the microsphere technique. 265*P*